AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

- (Currently amended): A miniature analytical device with thermal regulation comprising:
 - a localized heat source; and
 - a first an array of temperature-controlled zones comprising reactants[[,]]; and
 - an array of heat sources, wherein said localized the array of heat source sources is positioned to correspond to the array of temperature-controlled zones and regulates temperature in [[said]] the zones.
- 2. (Currently amended): A miniature analytical device with thermal regulation according to claim 1, wherein:
 said localized the array of heat source comprising a second array of sources comprises electromagnetic radiation emitters, wherein a second array of electromagnetic radiation emitters is positioned to correspond with said first array of temperature-controlled zones.
- (Currently amended): A miniature analytical device with thermal regulation according to claim 2, wherein:
 said second array of the electromagnetic radiation emitters comprising
 comprise vertical cavity surface emitting laser light sources.

- 4. (Currently amended): A miniature analytical device with thermal regulation according to claim 3, wherein:
 said second array of electromagnetic radiation emitters transmits the vertical cavity surface emitting laser light sources transmit infrared light through the reactants, thereby facilitating measuring to measure the concentration of a material within [[said]] the reactants.
- 5. (Currently amended): A miniature analytical device with thermal regulation according to claim 3, wherein:
 said second array of electromagnetic radiation emitters transmits the vertical cavity surface emitting laser light sources transmit infrared light through the reactants, thereby facilitating measuring to measure the temperature of the reactants.
- 6. (Currently amended): A miniature analytical device with thermal regulation according to claim [[1]] 2, wherein:

 said second array of the electromagnetic radiation emitters comprises with comprise at least one light source chosen from a vertical cavity surface emitting laser light source, a light emitting diode, an infrared lamp, an infrared laser, and an infrared diode laser, said first array positioned to correspond with said second array.
- 7. (Currently amended): A miniature analytical device with thermal regulation according to claim 6, wherein:
 at least one of said light-source the electromagnetic radiation emitters in

- said second the array of heat sources generates infrared light of a different wavelength.
- 8. (Currently amended): A miniature analytical device with thermal regulation according to claim 6, wherein:
 [[said]] the at least one light sources generate source generates infrared light with a wavelength of at least 0.775 micrometers.
- (Currently amended): A miniature analytical device with thermal regulation according to claim 6, wherein:
 [[said]] the at least one light sources generate source generates infrared light with a wavelength of at most 7000 micrometers.
- 10. (Currently amended): A miniature analytical device with thermal regulation according to claim 1, wherein:
 said localized the array of heat source sources comprises a second array of internal heat generators, wherein said second array of internal heat generators is positioned within said first array of temperature controlled zones.
- 11. (Currently amended): A miniature analytical device with thermal regulation according to claim 10, wherein:[[said]] the internal heat generators comprise [[of]] at least one electrical heater chosen from resistive heaters, inductive heaters, and Peltier heaters.
- 12. (Currently amended): A miniature analytical device with thermal regulation according to claim 11, further comprising:

- a third an array of electrical leads positioned to correspond with said second array of to the internal heat generators.
- 13. (Currently amended): A miniature analytical device with thermal regulation according to claim 1, wherein:
 said localized the array of heat source sources comprises a second array of external heaters, wherein said second array of external heaters is positioned to correspond with said first array of temperature-controlled zones.
- 14. (Currently amended): A miniature analytical device with thermal regulation according to claim 1, further comprising: a power supply coupled to said localized the array of heat source sources providing sufficient drive current to increase the temperature of said temperature controlled the zones.
- 15. (Currently amended): A miniature analytical device with thermal regulation according to claim 14, further comprising: a controller coupled to [[said]] the power supply for controlling the drive current to said localized the array of heat sources.
- 16. (Currently amended): A miniature analytical device with thermal regulation according to claim 15, wherein:[[said]] the controller modulates the power supply based on a temperature measured from the temperature controlled zones.
- 17. (Currently amended): A miniature analytical device with thermal regulation according to claim 1, further comprising:

a third an array of temperature monitors, said third wherein the array of temperature monitors is positioned to correspond to said first the array of temperature controlled zones.

- 18. (Currently amended): A miniature analytical device with thermal regulation according to claim 1, wherein:
 [[said]] the reactants comprise assay elements for body fluid analysis.
- 19. (Currently amended): A method of thermal regulation for a miniature analytical device comprising: heating a first an array of temperature-controlled zones containing reactants with a localized heat source; measuring the temperature of [[said]] the temperature controlled zones; modulating [[said]] the localized heat source; [[and]] regulating the temperature of [[said]] the temperature controlled zones; and modifying at least one absorptive property of at least one of the reactants.
- 20. (Canceled)